

2014 PONY TAIL WRAPS

(New improved method!)

By Sherry Titzer


<http://www.atimetostitch.com>

(See list of supplies in the text file provided with your designs)



1. Cut fabric, interfacing & cutaway stabilizer to sizes noted in the text file according to wrap size being made. (3 sizes). I used Faux "leather look" fabric for the front but you can use cotton fabric and just add thin fusible fleece to the wrong side to add more body.

2. Hoop wash away stabilizer. Stitch placement line on stabilizer. Fold cutaway stabilizer in half to 3 1/4" wide & mark center on the fold. Remove hoop & flip over. Place folded edge of stabilizer next to placement line keeping center marks even. Unfold stabilizer flat & tape corners. Put hoop on machine.




3. Next step stitches cutaway stabilizer down with a single stitch outline and a zig-zag stitch outline.

4. Remove hoop and trim the WASH AWAY stabilizer from INSIDE the outline.



5. Flip hoop over and trim the cutaway stabilizer from OUTSIDE the outline.

6. With hoop still flipped over, center interfaced lining fabric over the outline. Tape corners, put hoop on machine.




7. Next step stitches outline to tack lining down and stitches buttonholes for the snap clip. Remove hoop and flip over to cut slits in the buttonholes.

8. Flip hoop to right side and center "front" fabric over the outline. Tape corners, put hoop on machine.



9. Next step tacks "front" fabric down and stitches small circles for snap placement. (I used contrasting thread so I could see them better to install the snaps later!)

10. When finished stitching design, remove hoop and trim the fabric close to the outline stitches on BOTH sides of the hoop. Put hoop on machine.



11. Next step - satin stitching around the edge. The last step stitches 2 small buttonholes at the bottom if you want to add ribbon and beads (this is optional)

12. Remove hoop and flip over to trim wrap from wash away stabilizer. Run warm wet rag along edge of wrap to dissolve any remaining stabilizer.



13. Use "Goody" Snap Clips (**12/pkg - 1 3/4" long**) or the slightly larger snap clips (8/pkg - 2 1/4" long). I prefer the smaller 1 3/4" clips! (see note below)

14. If not done, cut slits in buttonholes & slide the snap clip into and out of the buttonholes as shown.



15. Install button snaps on each side so the wrap snaps together in the back. (Use 3/8" round cap snaps)

Pony Tail Wraps shown in three lengths. 5" - 6" - 7"

SIMPLE TO USE!

Put hair in pony tail with elastic holder. Add 2nd elastic holder 3"- 4" down to hold hair together. Slide snap clip over top of pony tail (above elastic holder) & snap closed. Pull sides of wrap around pony tail and snap wrap together! You can remove the 2nd elastic pony tail holder if preferred.



USE snap clips where the snap bar starts at the end of the clip and is almost the same length as the clip top.



DO NOT USE snap clips like this. The snap bar starts about 1/2" in from end of clip so this style will not work!