

Coin Purse Key Fobs

By Sherry Titzer

<http://www.atimetostitch.com>

Please refer to the text file provided with your designs for a complete list of supplies and cutting instructions.



1. MAKE THE POCKETS FIRST! Cut fabric, interfacing & wonder under strips as instructed in text file.

2. Fuse interfacing to wrong side & add wonder under strips.



3. Turn fabric at inside edge of wonder under, iron to crease. Remove paper backing, iron again to fuse.

4. Top stitch top folded edge of both pockets. Set aside.



5. Hoop wash away stabilizer. 1st color stitches outline & pocket placement lines directly on the stabilizer.

6. Flip hoop over, extend pocket placement lines at the sides with a marker so you can see them better later!



7. With hoop on back side, center felt inside outline at sides but keep even with bottom of outline. NOTE: Felt extends past outline at corners/top. (green felt used)

8. Flip hoop to right side, center fabric evenly over outline. Tape at corners, put hoop on machine. Next color tacks fabric/felt down. Continue stitching rest of design.



9. When finished stitching design, remove hoop & flip over. Trim the felt close to the outline stitches.



10. With hoop still on back side, center 2nd fabric piece evenly over the felt. Tape in place, put hoop on machine.



11. Next color tacks the fabric on back down & stitches small circles for snap & eyelet placement.



12. Remove hoop and trim the fabric close to the outline stitches on both sides of hoop.



13. Flip hoop over. Center 1st pocket over outline using upper placement marks. Add 2nd pocket using lower placement marks. Tape in place, put hoop on machine.



14. The next color in the design tacks the pockets down. (The outline will stitch twice).



15. Remove hoop, trim pockets close to the outlines.



16. The last step stitches the satin edge of the coin fob.



17. Trim coin fob from stabilizer. Run a warm wet rag along edges to dissolve remaining stabilizer. Let dry.



18. Install top button snap. Fold top at fold lines, finger press to crease. Paint snap tip with "White Out" & fold again to transfer paint to pocket. Add 2nd snap piece over that mark.



19. Install the eyelet over small stitches circle at the fold following the eyelet manufacturer's instructions.

BUTTON SNAPS: I recommend using size 22 (1/2") or 24 (5/8") button snaps from www.snapsource.com Their optional snap tool makes installing snaps very easy!

EYELETS: I recommend using "2 PART" metal eyelets because they provide a metal rim on both sides (much sturdier) I found 2 part eyelets (Prim Sewing brand) & Dritz gripper pliers at Walmart. The pliers make adding the eyelets a breeze! Well worth the investment!!



Your finished coin purse fob!